



**PROXIMITY SWITCHES - INDUCTIVE - CAPACITIVE - MAGNETIC - PHOTO(RETRO REFLECTIVE) - FIBRE OPTIC - LASER - COLOR - REED - DISTANCE MEASUREMENT IN ALL SIZES - LENGTH - AC / DC - PNP / NPN - NO / NC IN ALL TYPES AS PER CUSTOMER REQUIREMENT TO ALL RANGE, SIZE & APPLICATIONS.**



Note : 1) All sensor available from 3mm upto .....  
2) Capacitive sensor available in M8 / M12 / M18 / M30 sizes

**TEMPERATURE SENSOR - NON - CONTACT TEMPERATURE SENSORS - IN ALL TYPES - ALL RANGES - ALL SIZES AS PER SAMPLE - AS PER CUSTOMER REQUIREMENT TO ALL RANGE, SIZE & APPLICATIONS.**



HEAD TYPE & CABLE TYPE

NON - CONTACT TYPE TEMP. SENSOR

REQUIRED DETAILS FOR OFFER  
Type of sensor :-  
OD :-  
Rod Length :-  
With Head / Cable :-  
Size :-

Note : Available in all Ranges and Sizes

**PRESSURE TRANSMITTER TO ALL RANGE, SIZE & APPLICATIONS.**

**PRESSURE GAUGES TO ALL RANGE, SIZE & APPLICATIONS.**



REQUIRED DETAILS FOR OFFER  
Range :-  
Output :-  
Application :-



REQUIRED DETAILS FOR OFFER  
Dial size :-  
Range :-  
Mounting :-  
Application :-

**LEVEL SENSOR / SWITCHES IN ALL SIZES TO RANGE, SIZE & APPLICATIONS.**



REQUIRED DETAILS FOR OFFER  
Type of sensor :-  
Operating Capacity :-  
Required Capacity :-  
Output :-

**FLOW SENSOR / FLOW SWITCHES & FLOW TRANSMITTER - IN ALL RANGE, SIZE & APPLICATIONS.**



REQUIRED DETAILS FOR OFFER  
Type of sensor :-  
Media :-  
Line Size :-  
Operating Temperature :-

**LOAD CELL - IN ALL TYPES - ALL SIZES TO ALL RANGE, SIZE & APPLICATIONS.**



S-TYPE

SHEARBEAM-TYPE

BUTTON TYPE

PANCAKE-TYPE

REQUIRED DETAILS FOR OFFER  
Type of sensor :-  
Operating Capacity :-  
Required Capacity :-  
Output :-

**TORQUE SENSOR TO ALL RANGE & APPLICATIONS.**



**REQUIRED DETAILS FOR OFFER**  
 Type of sensor :-  
 Applications :-  
 Torque Capacity :-  
 Optional :-

**LVDT - LINEAR POT - LINEAR SCALE & DRO IN ALL RANGE, SIZE & APPLICATIONS.**



**LVDT & LINEAR POT**  
**REQUIRED DETAILS FOR OFFER**  
 Type of sensor :-  
 stroke Length :-



**Linear Scale Optical / Magnetic & DRO**  
**REQUIRED DETAILS FOR OFFER**  
 Type of sensor :-  
 stroke Length :-  
 Accuracy :-

**PH SENSORS & HUMIDITY SENSORS TO ALL RANGE & APPLICATIONS.**



**REQUIRED DETAILS FOR OFFER**  
 Type of sensor :-  
 Media / liquid :-  
 Operating Temp. :-  
 Accuracy :-



**REQUIRED DETAILS FOR OFFER**  
 Type of sensor :-  
 Applications :-  
 Accuracy :-  
**Note : Available in all Ranges and Sizes**

**SAFETY LIGHT CURTAINS IN ALL RANGE,SIZE & APPLICATIONS.**



**REQUIRED DETAILS FOR OFFER**  
 Type of sensor :-  
 Operating Supply :-  
 Operating Height :-  
 Pitch Distance :-  
 Application :-

**Note : Available in all Ranges and Sizes**

**C.T & SHUNT TO ALL RANGE,SIZE & APPLICATIONS.**



**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Current Rating :-  
 Ratio :-



**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Current Capacity :-  
 Output :-

**Note : Available in all Ranges and Sizes**

TEMPERATURE - PRESSURE - LEVEL - LOADCELL - FLOW - DISTANCE - AC/DC VOLTAGE - AC / DC CURRENT - PH - HUMIDITY - RPM - MPM - SPEED INDICATOR IN ALL SIZES , RANGES & APPLICATIONS.



Load Cell Indicator

REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Size :-  
 Logic :-

TEMPERATURE - PRESSURE - LEVEL - LOADCELL - FLOW - DISTANCE - AC/DC VOLTAGE - AC / DC CURRENT - PH - HUMIDITY - RPM - MPM - SPEED CONTROLLER TO ALL APPLICATIONS.



SPEED

REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Size :-  
 Logic :-

PID CONTROLLER IN ALL RANGES & SIZES.



REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Size :-  
 Logic :-

TEMPERATURE SCANNER & DATALOGGERS IN ALL RANGES & SIZES.



REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 No. of channels :-  
 Supply :-  
 Input :-  
 Range :-  
 Size :-  
 Optional :-

SIGNAL ISOLATORS & SIGNAL CONVERTERS IN ALL RANGES.



REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Supply :-  
 Input :-  
 Output :-  
 Size :- Din-Rail

MODBUS COMMUNICATION CONVERTERS & REPEATERS

- 1] RS 232 TO RS 485 , 2] RS 485 TO RS 323 , 3] ETHERNET TO RS 232 / RS 485 , 4] ETHERNET TO RS 232 / RS485
- 5] USB TO RS 232 / RS 422 / TTL CONVERTOR , 6] 3 IN 1 RS 232 / RS 422 / RS 485 , 7] 4 CH RS 232 / RS485 TO ETHERNET
- 8] RS232/ RS 485 TO ZIGBEE WIRELESS / MIN WIRELESS CONVERTOR
- 9] FIBRE OPTIC TO ETHERNET CONVERTOR [MEDIA CONVERTOR]



REPEATER RS232 TO RS232 / RS485 TO RS 485

TIMERS IN ALL RANGES & SIZES.




REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Output :-  
 Start :- Power ON / Pulse to  
 Size :-

**COUNTERS IN ALL RANGE & SIZE**



**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Input :-  
 Output :-  
 Size :-

**JUMBO DISPLAY AND PRODUCTION DISPLAY TO ALL RANGE, SIZE & APPLICATIONS.**



Production Display

Process Indicator Display

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Display Size :-  
 Logic / Sequence :-

**PANEL INDICATOR / DPM-1 PHASE, VOLTMETER, AMMETER, AVF METER, VOLTMETER + AMMETER, 3 PHASE VOLTMETER, 3 PHASE AMMETER, 3 PHASE AVF METER, 3 PHASE ENERGY METER IN RANGE & SIZE**



**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Range :-  
 Size :-

Note : Available in all Ranges and Sizes

**DC VOLTMETER & AMP METER, DC VOLT + AMP METER, DC MULTIFUNCTION IN ALL RANGES & SIZES.**



AV-31V

AV-14DV

AV-14DA

AV-33

AV-22

PM-11DC

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Range :-  
 Size :-

**ENERGY METERS & ENERGY ANALYZERS IN ALL RANGE & SIZES.**



EPM-13N

EM-10

EM-13N

ENERGY ANALYZER

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Range :-  
 Size :-

**MOTOR ALL PROTECTION CONTROLLER IN ALL SIZE & RANGES.**



MPD-19N

MPD-13N

MPD-192

MPD-152

MPD

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Range :-  
 Size :-

**1 PH & 3 PH VOLTAGE CONTROLLER & VOLTAGE MONITORING RELAY**

**IN ALL RANGES & SIZES.**



VOLTAGE CONTROLLER

VOLTAGE MONITORING RELAY

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Size :-

**1 PH & 3 PH CURRENT CONTROLLER & CURRENT MONITORING RELAY**

**IN ALL RANGE & SIZES.**



CURRENT CONTROLLER

CURRENT PROTECTION RELAY CPR-126

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Size :-

**LOADCELL INDICATORS CONTROLLERS & LOADCELL CONVERTOR**

**IN ALL RANGES & SIZES.**



**FLOW INDICATOR TOTALISER**

**IN ALL RANGE & SIZES.**



MFC-1048

FLOW INDICATOR CUM TOTALISER

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Output :-  
 Size :-  
 Optional : Retransmission  
 RS- 232 / 485.

**HUMIDITY + TEMPERATURE INDICATOR CONTROLLER**

**IN ALL SIZE & RANGES.**



TEMP. + HUMIDITY CONTROLLER.

TEMP. + HUMIDITY INDICATOR

MHT-1202

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Output :-  
 Size :-  
 Optional : Retransmission  
 RS- 232 / 485.

**FLAME-PROOF / EX-PROOF INSTRUMENTS**

**IN ALL RANGE, SIZE & APPLICATION.**



**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Input :-  
 Range :-  
 Output :-  
 Size :-

Available in 4 / 6 / 8 / 12 / 20 / 24 channels

**POWER SUPPLY / SMPS-VARIABLE POWER SUPPLY, MULTI-OUTPUT SMPS - MULTI BRAND POWER SUPPLY & BATTERY CHARGER IN ALL RANGE, SIZE & APPLICATION.**



PSR-101



NHP POWER SUPPLY



VARIABLE POWER-SUPPLY



REQUIRED DETAILS FOR OFFER  
**Product Name :-**  
**Supply :-**  
**Output :-**  
**Rating :-**

**D.C. DRIVES, THYRISTOR CONTROLLER**

**IN ALL RANGES & APPLICATIONS.**



THYRISTOR CONTROLLER



REQUIRED DETAILS FOR OFFER  
**Product Name :-**  
**Supply :- 1 Phase / 3 Phase.**  
**Rating :-**

**ELECTRONIC HOOTER ( 1,3 & 4 Tone) / LARGE SOUND HOOTER**

**IN ALL RANGES.**



REQUIRED DETAILS FOR OFFER  
**Product Name :-**  
**Supply :-**  
**Tone :-**  
**Size :- 72 x 72, 96 x 96 mm.**  
**Optional :- Reset, Volume Control, Large Sound, Customize Logic.**

**VOICE HOOTER ( 1 CHANNEL TO 125 CHANNELS) LARGE SOUND VOICE**

**IN ALL RANGE & APPLICATIONS.**



REQUIRED DETAILS FOR OFFER  
**Product Name :-**  
**Supply :-**  
**Tone :-**  
**Size :- 96 x 96 mm.**  
**Optional :- Reset, Volume Control, Large Sound, Customize Logic.**

**SIGNAL TOWERLAMPS ( MULTI TIER - MULTI CHANNEL & SINGLE TIER**

**IN ALL SIZES & RANGES.**



SINGLE TIER MULTICHANNEL LAMP



REQUIRED DETAILS FOR OFFER  
**Product Name :-**  
**Supply :-**  
**Tone :-**  
**Size :- 45 MM. / 65 MM.**

**REVOLVING LAMPS & BUZZER CUM FLASHER**

**IN ALL RANGES.**



REQUIRED DETAILS FOR OFFER  
**Product Name :-**  
**Supply :-**  
**Colour :-**  
**For Revolving with Buzzer/ without Buzzer.**

BUZZER CUM FLASHER.

**SIREN TO ALL RANGE & APPLICATIONS.**



REQUIRED DETAILS FOR OFFER  
 Supply: -  
 Range in Km :-  
 Mounting :- Single / Double side.  
 Size :- 45 MM. / 65 MM.

**WINDOW BASE - VOICE BASE, LCD BASE ANNUNCIATOR TO ALL RANGES & APPLICATIONS.**




REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Supply :-  
 No. of Windows :-

**ISOLATION - CONTROL TRANSFORMER - CHOKES - BREAKING RESISTORS TO ALL SIZE & APPLICATIONS.**



REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Primary Voltage :-  
 Secondary Voltage :-

**RELAY, RELAY BASE IN ALL RANGES.**



REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Supply Voltage :-  
 No. of Changeover :-

**RELAY CARDS / RELAY BOARDS IN ALL RANGES.**



REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 Supply :-  
 No. of Channels :-  
 Changeover :- 1 / 2 / 4.

**SSR, HEAT SINK, DC-DC, DC-AC IN ALL RANGES.**



REQUIRED DETAILS FOR OFFER  
 Product Name :-  
 I/P Voltage :-  
 O/P Voltage:-  
 No. of Channels :-  
 Current Ratio:-

**SSR CARD / SSR BOARD**

**IN ALL RANGES.**



**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Input Voltage :-  
 Output Voltage :-  
 No. of Channels :-

**LIMIT SWITCHES IN ALL RANGES & SIZES**

**TO ALL APPLICATIONS.**



**REQUIRED DETAILS FOR OFFER**  
 Catalogue Sr. No. :-  
 Your Photo :-

**VSS- VOLTAGE SELECTOR SWITCH & ASS-CURRENT SELECTOR, ON-OFF & ROTARY SWITCHES.**



**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Supply :-  
 Size:-

Selector Switches give name Voltage selector & Amp. selector switch.

**PANEL LAMP INDICATOR 8 MM, 12 MM, 16 MM, & 22.5MM**

**TO ALL RANGES & APPLICATIONS.**



**REQUIRED DETAILS FOR OFFER**  
 Supply :-  
 Lamp Size:-  
 Lamp Colour :-

**PUSH BUTTONS - SELECTOR SWITCH - NO/NC ELEMENTS - EMERGENCY STOP - ILLUMINATED PUSH BUTTONS**



Push Buttons.

Illuminated Push Button & Emergency Stop.

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 Push Button size :-  
 Push Button color :-



1 / 2 / 3 Position selector Switches

NO / NC ELEMENTS.

**REQUIRED DETAILS FOR OFFER**  
 Product Name :-  
 No. of Position :-

Note : Available in all Ranges and Sizes

**POLYCAB CABLES**

**IN ALL SIZES.**



**REQUIRED DETAILS FOR OFFER**  
Cable Size :-  
No. of Core :-  
Colour :-

**PANEL & JUNCTION BOXES IN PLASTIC, MS & SS, Ex-Proof**

**TO ALL APPLICATIONS.**



**REQUIRED DETAILS FOR OFFER**  
Product Name :-  
Material :-  
Size :-

**FLAME - PROOF INSTRUMENTS & HOOTERS**

**TO ALL APPLICATIONS.**



**REQUIRED DETAILS FOR OFFER**  
Product Name :-  
Supply :-  
Input :-  
Range :-

**ALL TYPES OF STANDARD SWITCHGEAR - MCB, MCCB, CONTRACTOR, OVERLOAD RELAY**

**TO ALL APPLICATIONS.**



**MCB**

**MCCB**

**CONTACTOR**

**MPCB**



**REQUIRED DETAILS FOR OFFER**  
Product Name :-  
No. of Pole :-  
Rating :-  
Coil Volatge :-

**PLC & HMI PRODUCTS FROM SIEMENS - DELTA - MITSUBISHI - ABB - SCHNEIDER - OMRON ANY OTHER BRANDS AS PER CUSTOMER REQUIREMENT IN ALL RANGES.**



**REQUIRED DETAILS FOR OFFER**

- Brand Name :-
- No. of Digital Inputs :-
- No. of Analogue Inputs :-
- No. of Digital Outputs :-
- No. of Analogue Outputs :-
- No. of High speed Input :-
- No. of High speed output :-
- Optional :-

- REQUIRED DETAILS FOR OFFER**
- Brand Name :-
  - HMI Size :-

**A.C. DRIVES & D.C. DRIVES OF SIEMENS - DELTA - MITSUBISHI - ABB - SCHNEIDER - OMRON ANY OTHER BRANDS AS PER CUSTOMER REQUIREMENT IN ALL RANGES & APPLICATIONS.**



**AC DRIVES**



**DC DRIVES**



**THYRISTOR CONTROLLER**

- Required detail for offer :-**
- Brand Name :-
  - Input Voltage :- 1 Ph. & 3 Ph.
  - Output :- 3 Phase.
  - Drive / Motor HP :-
  - Application :-

- Required detail for offer :-**
- Brand Name :-
  - Input Voltage :-
  - Output Voltage :-
  - Application :-

- Required detail for offer :-**
- Name :-
  - Input :- 1 Ph. / 3 Ph.
  - Output :-
  - Rating Current :-

**LOADCELL, LVDT, LINEAR SCALE, TORQUE SENSOR DISTANCE MEASUREMENT SENSOR , FLOW METER, IN ALL RANGES TO ALL APPLICATIONS.**



**DIESEL - OIL OR ALL LIQUID MONITORING SYSTEM**

**UNIVERSAL CALBRATORS AS PER CUSTOMER REQUIREMENT IN ALL RANGES TO ALL APPLICATION.**



-: Manufacturer - Dealer - Stockiest - Supplier & all Trading Activities :-



# N.D.AUTOMATION

SSI & ISO 9001:2015 CERTIFIED COMPANY

Office: Shree Industrial Premises, 1st Floor, General block-111, Pimpri / YCM Road, near Masoba mandir, Landewadi, MIDC Bhosari Pune-411026.

- 1) For Sensors & Instruments : [ndautomation@gmail.com](mailto:ndautomation@gmail.com).
- 2) For Switchgear & Panel accessories : [ndautomation2004@gmail.com](mailto:ndautomation2004@gmail.com)
- 3) For all types of Projects and R&D work : [project@ndautomation.com](mailto:project@ndautomation.com) ,
- 4) For Accounts & Purchase : [purchase.ndautomation@gmail.com](mailto:purchase.ndautomation@gmail.com)

Office Mb & whatsapp nos. : 9552521294 / 5

Development & Projects: 9850025591

Web Site : [www.ndautomations.com](http://www.ndautomations.com)

#### Note:

We gives training to maintenance person & Engineering Students on chargeable basis on fault finding, testing, programming, on all types of sensors, instruments, PLC, drives, Control panels & material selection.

Dealers: